

Revision nr.1 Dated 4/17/2023 First compilation Printed on 9/20/2023 Page n. 1 / 10

Safety Data Sheet

According to U.S.A. Federal Hazcom 2012



2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). The product thus requires a safety datasheet.

Combustible liquid.

May cause an allergic skin reaction.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classification and Hazard Statement Flammable liquid, category 4 Skin sensitization, category 1A Hazard pictograms:

Signal words:

Warning

Hazard statements: H227 H317

Combustible liquid. May cause an allergic skin reaction.

Precautionary statements:

ΕN



2. Hazards identification ... / >>

Prevention:	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust / fume / gas / mist / vapours / spray.
P280	Wear protective gloves / eye protection / face protection.
P272	Contaminated work clothing should not be allowed out of the workplace.
Response:	
P333+P313	If skin irritation or rash occurs: Get medical advice / attention.
P302+P352	IF ON SKIN: wash with plenty of water /
P370+P378	In case of fire: use CO2, sand, powder to extinguish.
P363	Wash contaminated clothing before reuse.
Storage:	-
P403+P235	Store in a well-ventilated place. Keep cool.
Disposal:	
P501	Dispose of contents / container according to applicable law.

2.2. Other hazards

Information not available

3. Composition/information on ingredients

3.2. Mixtures

Identification		x = Conc. %	Classification:
MALEIC ANH	YDRIDE		
INDEX	607-096-00-9	0.001 ≤ x < 0.05	Acute toxicity, category 4 H302, Specific target organ toxicity - repeated exposure, category 1 H372, Skin corrosion, category 1B H314, Serious eye damage, category 1 H318, Respiratory sensitization, category 1 H334, Skin sensitization, category 1A H317
EC	203-571-6		
CAS	108-31-6		
REACH Req.	01-2119472428-31		

* There is a batch to batch variation.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

4. First-aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

5. Fire-fighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular. ΕN

Revision nr.1 Dated 4/17/2023

First compilation

Printed on 9/20/2023 Page n. 2 / 10



5. Fire-fighting measures ... / >>

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

Combustion products: mainly COx.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available



8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

USA USA	NIOSH-REL OSHA-PEL	NIOSH publication No. 2005-149, 3th printing, 2007. Occupational Exposure Limits - Limits for Air Contaminants TABLE Z-1-1910.1000.
USA	CAL/OSHA-PEL	California Division of Occupational Safety and Health (Cal-OSHA) Permissible Exposure Limits (PELs).
	TLV-ACGIH	ÀCGIH 2022

Threshold Limit Value Type Country TWA/8h STEL/15min Remarks / Observations mg/m3 ppm mg/m3 ppm		ANHYDRIDE	MALEIC				
mg/m3 ppm mg/m3 ppm						/alue	Threshold Limit V
	Remarks / Observations	min	STEL/15		TWA/8h	Country	Туре
TIN/ A O O U A O O O O O O O O O O O O O O O		ppm	mg/m3	ppm	mg/m3		
ILV-ACGIH - 0.01 0.0025 INHAL	INHAL			0.0025	0.01	-	TLV-ACGIH
OSHA USA 1 0.25				0.25	1	USA	OSHA
CAL/OSHA USA 0.4 0.1				0.1	0.4	USA	CAL/OSHA
NIOSH USA 1 0.25				0.25	1	USA	NIOSH

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations. HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (OSHA 29 CFR 1910.138): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing. EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84, OSHA 29 CFR 1910.134.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

HAND PROTECTION: Protect hands with work gloves for protection from chemical agents in nitrile or fluoroelastomer (EN 374-1: 2016) at least type B or higher based on the risk assessment carried out by the company. Breakthrough time> 480 minutes. Material thickness:

NITRILE short contact> 0.38 mm prolonged contact> 0.55 mm FLUOROELASTOMER short contact> 0.50 mm prolonged contact> 1.50 mm



Revision nr.1 Dated 4/17/2023 First compilation Printed on 9/20/2023 Page n. 5 / 10

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Odour threshold pHnot available not availableMelting point / freezing pointnot availableInitial boiling pointnot availableBoiling rangenot availableFlash point> 65 °CEvaporation ratenot availableFlammabilitynot availableLower inflammability limitnot availableLower explosive limitnot availableUpper explosive limitnot availableVapour densitynot availableRelative density1.74Solubilitynot availableAuto-ignition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available	(149 °F)	Reason for missi non-soluble	ing data:subs (in	
OdourcharacteristicOdour thresholdnot availablepHnot availableMelting point / freezing pointnot availableInitial boiling pointnot availableBoiling rangenot availableFlash point>Flash point>Flash point>Cover inflammabilitynot availableLower inflammability limitnot availableLower explosive limitnot availableUpper explosive limitnot availableVapour densitynot availableVapour density1.74Solubilityminscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available	(149 °F)		-	
Odour threshold pHnot available not availableMelting point / freezing pointnot availableInitial boiling pointnot availableBoiling rangenot availableFlash point>Flash point>Flash point>Cover inflammabilitynot availableLower inflammability limitnot availableUpper inflammability limitnot availableLower explosive limitnot availableVapour pressurenot availableVapour densitynot availableRelative density1.74Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available	(149 °F)		-	
pHnot availableMelting point / freezing pointnot availableInitial boiling pointnot availableBoiling rangenot availableFlash point> 65 °CEvaporation ratenot availableFlammabilitynot availableLower inflammability limitnot availableUpper inflammability limitnot availableUpper explosive limitnot availableVapour pressurenot availableVapour densitynot availableRelative density1.74Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available	(149 °F)		-	
Melting point / freezing pointnot availableInitial boiling pointnot availableBoiling rangenot availableFlash point> 65 °CEvaporation ratenot availableFlammabilitynot availableLower inflammability limitnot availableUpper inflammability limitnot availableLower explosive limitnot availableUpper explosive limitnot availableVapour pressurenot availableVapour density1.74Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available	(149 °F)		-	
Initial boiling pointnot availableBoiling rangenot availableFlash point>Flash point>Flammabilitynot availableLower inflammability limitnot availableLower inflammability limitnot availableUpper inflammability limitnot availableLower explosive limitnot availableUpper explosive limitnot availableVapour pressurenot availableVapour density1.74Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available	(149 °F)	non-soluble	ín	
Initial boiling pointnot availableBoiling rangenot availableFlash point>Flash point>Flammabilitynot availableLower inflammability limitnot availableLower inflammability limitnot availableUpper inflammability limitnot availableLower explosive limitnot availableUpper explosive limitnot availableVapour pressurenot availableVapour density1.74Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available	(149 °F)			water)
Boiling rangenot availableFlash point>65 °CEvaporation ratenot availableFlammabilitynot availableLower inflammability limitnot availableUpper inflammability limitnot availableLower explosive limitnot availableUpper explosive limitnot availableVapour pressurenot availableVapour density1.74Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available	(149 °F)			
Flash point>65°CEvaporation ratenot availableFlammabilitynot availableLower inflammability limitnot availableUpper inflammability limitnot availableLower explosive limitnot availableUpper explosive limitnot availableVapour pressurenot availableVapour densitynot availableRelative density1.74Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available	(149 °F)			
Evaporation ratenot availableFlammabilitynot availableLower inflammability limitnot availableUpper inflammability limitnot availableLower explosive limitnot availableUpper explosive limitnot availableVapour pressurenot availableVapour densitynot availableRelative density1.74Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available	(149 °F)			
Flammabilitynot availableLower inflammability limitnot availableUpper inflammability limitnot availableLower explosive limitnot availableUpper explosive limitnot availableVapour pressurenot availableVapour densitynot availableRelative density1.74Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available				
Lower inflammability limitnot availableUpper inflammability limitnot availableLower explosive limitnot availableUpper explosive limitnot availableVapour pressurenot availableVapour densitynot availableRelative density1.74Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available				
Upper inflammability limitnot availableLower explosive limitnot availableUpper explosive limitnot availableVapour pressurenot availableVapour densitynot availableRelative density1.74Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableDecomposition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available				
Lower explosive limitnot availableUpper explosive limitnot availableVapour pressurenot availableVapour densitynot availableRelative density1.74Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableDecomposition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available				
Upper explosive limitnot availableVapour pressurenot availableVapour densitynot availableRelative density1.74Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableDecomposition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available				
Vapour pressurenot availableVapour densitynot availableRelative density1.74Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableDecomposition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available				
Vapour densitynot availableRelative density1.74Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableDecomposition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available				
Relative density1.74Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableDecomposition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available				
Solubilityimmiscible with waterPartition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableDecomposition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available				
Partition coefficient: n-octanol/waternot availableAuto-ignition temperaturenot availableDecomposition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available				
Auto-ignition temperaturenot availableDecomposition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available				
Decomposition temperaturenot availableViscosity>20,5 mm2/sec (40°CExplosive propertiesnot available				
Viscosity >20,5 mm2/sec (40°C Explosive properties not available				
Explosive properties not available				
	1			
Oxidising properties not available				
2. Other information				
Total solids (250°C / 482°F) 100,00 %				

10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product. ΕN

Tenax

TENAX SPA PASTA COLORANTE 10009 BIANCA

Revision nr.1 Dated 4/17/2023 First compilation Printed on 9/20/2023 Page n. 6 / 10

11. Toxicological information ... / >>

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

MALEIC ANHYDRIDE LD50 (Oral): LD50 (Dermal):

1090 mg/kg Rat 610 mg/kg Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class Carcinogenicity Assessment: 108-31-6 MALEIC ANHYDRIDE ACGIH:: A4

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class Viscosity: >20,5 mm2/sec (40°C)



12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Information not available

12.2. Persistence and degradability

MALEIC ANHYDRIDE

Solubility in water Entirely degradable > 10000 mg/l

-2.78

12.3. Bioaccumulative potential

MALEIC ANHYDRIDE

Partition coefficient: n-octanol/water

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Other adverse effects

Information not available

13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable



Revision nr.1 Dated 4/17/2023 First compilation Printed on 9/20/2023 Page n. 8 / 10

14. Transport information ... / >>

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal Regulations

TSCA:

All components of this product are listed on US Toxic Substances Control Act (TSCA) Inventory or are exempt from the listing / notification requirements.

Clean Air Act Section 112(b): No component(s) listed.

Clean Air Act Section 602 Class I Substances: No component(s) listed.

Clean Air Act Section 602 Class II Substances: No component(s) listed.

Clean Water Act – Priority Pollutants: No component(s) listed.

Clean Water Act – Toxic Pollutants: No component(s) listed.

DEA List I Chemicals (Precursor Chemicals): No component(s) listed.

DEA List II Chemicals (Essential Chemicals): No component(s) listed.

EPA List of Lists: 313 Category Code: No component(s) listed.

EPCRA 302 EHS TPQ: No component(s) listed.

EPCRA 304 EHS RQ: No component(s) listed.

CERCLA RQ: No component(s) listed.

EPCRA 313 TRI: No component(s) listed.

RCRA Code:



Revision nr.1 Dated 4/17/2023 First compilation Printed on 9/20/2023 Page n. 9 / 10

15. Regulatory information ... / >>

No component(s) listed.

CAA 112 (r) RMP TQ: No component(s) listed.

State Regulations

Massachussetts: No component(s) listed.

Minnesota: No component(s) listed.

New Jersey: No component(s) listed.

New York: No component(s) listed.

Pennsylvania: No component(s) listed.

California: No component(s) listed.

Proposition 65:

This product does not contain any substances know to the State of California to cause cancer, reproductive harm or birth defects.

International Regulations

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

H227 H302	Combustible liquid. Harmful if swallowed.
H372	Causes damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.

LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: Regulation (EC) 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization

ΕN

@EPY 11.5.1 - SDS 1004.14

Tenax

Revision nr.1 Dated 4/17/2023 First compilation Printed on 9/20/2023 Page n. 10 / 10

16. Other information ... / >>

- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REACH: Regulation (EC) 1907/2006
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

GENERAL BIBLIOGRAPHY:

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy
- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Comunication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website
- Pennsylvania, Hazardous Substance List, Chapter 323

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Product classification derives from criteria established by the OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200), unless determined otherwise in Section 11 and 12. The data for evaluation of chemical-physical properties are reported in section 9.