

Revision nr.4 Dated 7/25/2022 Printed on 9/20/2023 Page n. 1 / 11 Replaced revision:3 (Dated 9/3/2021)

Safety Data Sheet

According to U.S.A. Federal Hazcom 2012

1. Identification						
1.1. Product identifier						
Code: Product name		PURPLE PURPLE				
1.2. Relevant identified uses of t	he substance or mixture a	nd uses advi	sed against			
Intended use	Clean	er for marble	and granite			
Identified Uses	Indust	rial	Professio	nal	Consumer	
CLEANING AND WASHING	✓		\checkmark		-	
1.3. Details of the supplier of the	e safety data sheet					
Name	TENA	X SPA				
Full address		laggio, 226				
District and Country	37020		gne	(VR)		
	Tel.		45 6887593			
e-mail address of the competen	Fax	+39 0	45 6862456			
responsible for the Safety Data		@tenax.it				
Supplier:	Tel. 00	Whitehall Exe	3 - Fax 001 70458		73 Charlotte NC, US	
1.4. Emergency telephone numb	er					
For urgent inquiries refer to		ac d Canada: 1-{ -352-323-350				
	info@	infotrac.net				
2. Hazards identificatio			-			
	n					
	n nce or mixture ardous pursuant to the prov equires a safety datasheet.	infotrac.net	in OSHA Hazard (R
1910.1200). The product thus re	n nce or mixture ardous pursuant to the prov equires a safety datasheet. erning the risks for health ar	infotrac.net isions set forth nd/or the envir	in OSHA Hazard (n sections 11 and burns and eye da	12 of this sheet.	R
2.1. Classification of the substar The product is classified as haz 1910.1200). The product thus re Any additional information conc Classification and Hazard State Skin corrosion, category 1 Serious eye damage, catego	n nce or mixture ardous pursuant to the prov equires a safety datasheet. erning the risks for health ar	infotrac.net isions set forth nd/or the envir	in OSHA Hazard (onment are given in auses severe skin	n sections 11 and burns and eye da	12 of this sheet.	R
2.1. Classification of the substar The product is classified as haz 1910.1200). The product thus re Any additional information conc Classification and Hazard State Skin corrosion, category 1 Serious eye damage, catego	n nce or mixture ardous pursuant to the prov equires a safety datasheet. erning the risks for health ar	infotrac.net isions set forth nd/or the envir	in OSHA Hazard (onment are given in auses severe skin	n sections 11 and burns and eye da	12 of this sheet.	R
2.1. Classification of the substar The product is classified as haz 1910.1200). The product thus re Any additional information conc Classification and Hazard State Skin corrosion, category 1 Serious eye damage, catego Hazard pictograms:	n nce or mixture aradous pursuant to the prov equires a safety datasheet. erning the risks for health ar ement ory 1	infotrac.net isions set forth nd/or the enviro C	in OSHA Hazard (onment are given in auses severe skin auses serious eye	n sections 11 and burns and eye da	12 of this sheet.	R

EN



Revision nr.4 Dated 7/25/2022 Printed on 9/20/2023 Page n. 2 / 11 Replaced revision:3 (Dated 9/3/2021)

2. Hazards identification ... / >>

P280	Wear protective gloves/ protective clothing / eye protection / face protection.		
P264	Wash the hands thoroughly after handling.		
Response:			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.		
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water / shower.		
P310	Immediately call a POISON CENTER / doctor if you feel unwell.		
P304+P340	IF INHALED: remove person to fresh air and keep comfortable for breathing.		
P363	Wash contaminated clothing before reuse.		
Storage:			
P405	Store locked up.		
Disposal:			
P501	Dispose of contents / container according to applicable law.		
2.2. Other hazards			
Environmental classification	on as for Reg. (EC) 1272/2008 (CLP):		
The product is classified a	s hazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).		
Classification and Hazard	Statement		

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, acute toxicity, category 1 Hazardous to the aquatic environment, chronic toxicity, category 2

Hazard pictograms:



Signal words:	Warning
Hazard statements: H400 H411	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Precautionary statements: Prevention:	
P273	Avoid release to the environment.
Response:	
P391	Collect spillage.
Storage:	
Disposal:	
P501	Dispose of contents / container according to applicable law.

Additional hazards

Contact with acids liberates toxic gas. Warning! Do not use together with other products. May release dangerous gases (chlorine).

3. Composition/information on ingredients

3.2. Mixtures

Contains:			
Identification		x = Conc. %	Classification:
SODIUM HYF 16% - active o			
CAS	7681-52-9	15≤x< 16	Skin corrosion, category 1B H314, Serious eye damage, category 1 H318, Hazardous to the aquatic environment, acute toxicity, category 1 H400 M=10, Hazardous to the aquatic environment, chronic toxicity, category 1 H410 M=1
EC INDEX REACH Reg.	231-668-3 017-011-00-1 01-2119488154-34		



3. Composition/information on ingredients/>>

The full wording of hazard (H) phrases is given in section 16 of the sheet.

4. First-aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

5. Fire-fighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.



6. Accidental release measures ... / >>

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

8. Exposure controls/personal protection

8.1. Control parameters

Information not available

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations.

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (OSHA 29 CFR 1910.138): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing. EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84, OSHA 29 CFR 1910.134.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

HAND PROTECTION: Protect hands with work gloves for protection from chemical agents in nitrile or fluoroelastomer (EN 374-1: 2016) at least type B or higher based on the risk assessment carried out by the company. Breakthrough time> 480 minutes. Material thickness: NITRILE

short contact> 0.38 mm prolonged contact> 0.55 mm FLUOROELASTOMER short contact> 0.50 mm prolonged contact> 1.50 mm



Revision nr.4 Dated 7/25/2022 Printed on 9/20/2023 Page n. 5 / 11 Replaced revision:3 (Dated 9/3/2021)

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties		Value			Information
Appearance		liquid			memadon
Colour		TRANSPARENT	YELLOV	V	
Odour		pungent			
Odour threshold		not available			
Н		12-12.5			
Melting point / freezing point		not available			
Initial boiling point		not available			
Boiling range		not available			
Flash point	>	93 °C		(199,4 °F)	
Evaporation rate		not available			
Flammability		not available			
Lower inflammability limit		not available			
Upper inflammability limit		not available			
Lower explosive limit		not available			
Upper explosive limit		not available			
Vapour pressure		not available			
Vapour density		not available			
Relative density		1,16-1,24	g/cm3		
Solubility		soluble in water			
Partition coefficient: n-octanol/water		not available			
Auto-ignition temperature		not available			
Decomposition temperature		not available			
Viscosity		not available			
Explosive properties		not available			
Oxidising properties		not available			
9.2. Other information					

Information not available

10. Stability and reactivity

10.1. Reactivity

Information not available

10.2. Chemical stability

Information not available

10.3. Possibility of hazardous reactions

Contact with strong acids causes the development of toxic gases.

10.4. Conditions to avoid

Information not available

10.5. Incompatible materials

It can generate toxic gases in contact with acids, amides, aliphatic and aromatic amines, carbamates, halogenated substances, isocyanates, organic sulphides, nitriles, organophosphates, inorganic sulphides, polymerizable compounds. It can easily ignite in contact with other substances.

10.6. Hazardous decomposition products

Information not available

ΕN



Revision nr.4 Dated 7/25/2022 Printed on 9/20/2023 Page n. 6 / 11 Replaced revision:3 (Dated 9/3/2021) ΕN

11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

SODIUM HYPOCHLORITE LD50 (Oral): LD50 (Dermal):

> 5000 mg/kg Rat> 10000 mg/kg Rabbit

SKIN CORROSION / IRRITATION

Corrosive for the skin Classification according to the experimental Ph value

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class



12. Ecological information

This product is dangerous for the environment and highly toxic for aquatic organisms. This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment.

12.1. Toxicity

SODIUM HYPOCHLORITE	
LC50 - for Fish	0.059 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea	0.04 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	46 mg/l/72h Gracilaria tenuistipitata
Chronic NOEC for Algae / Aquatic Plants	0.364 mg/l Algae fresh water
12.2. Persistence and degradability	
SODIUM HYPOCHLORITE	
Solubility in water Degradability: information not available	1000 - 10000 mg/l
12.3. Bioaccumulative potential	
SODIUM HYPOCHLORITE	
Partition coefficient: n-octanol/water	-3.42
12.4. Mobility in soil	
Information not available	
12.5. Results of PBT and vPvB assessment	

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Other adverse effects

Information not available

13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

14. Transport information

14.1. UN number

ADR / RID, IMDG, IATA: 1791

14.2. UN proper shipping name

ADR / RID:HYPOCHLORITE SOLUTIONIMDG:HYPOCHLORITE SOLUTION (SODIUM HYPOCHLORITE)IATA:HYPOCHLORITE SOLUTION



14. Transport information ... / >>

14.3. Transport hazard class(es)

-			
ADR / RID:	Class: 8	Label: 8	
IMDG:	Class: 8	Label: 8	
IATA:	Class: 8	Label: 8	

14.4. Packing group

ADR / RID, IMDG, IATA: Ш

14.5. Environmental hazards

ADR / RID:	Environmentally Hazardous	
IMDG:	Marine Pollutant	

IATA:

For Air transport, environmentally hazardous mark is only mandatory for UN 3077 and UN 3082.

14.6. Special precautions for user

NO

Liquid with chlorine odour. In contact with acids, evolves very irritating and corrosive gases. Mildly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.

A3, A803

ADR / RID:	
IMDG: IATA:	

HIN - Kemler: 80 Special provision: 521 EMS: F-A, S-B Cargo: Passengers: Special provision:

Limited Quantities: 1 L Limited Quantities: 1 L Maximum quantity: 30 L Maximum quantity: 1 L

Tunnel restriction code: (E)

Packaging instructions: 855 Packaging instructions: 851

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal Regulations

TSCA:

All components of this product are listed on US Toxic Substances Control Act (TSCA) Inventory or are exempt from the listing / notification requirements.

Clean Air Act Section 112(b): No component(s) listed.

Clean Air Act Section 602 Class I Substances: No component(s) listed.

Clean Air Act Section 602 Class II Substances:



Revision nr.4 Dated 7/25/2022 Printed on 9/20/2023 Page n. 9 / 11 Replaced revision:3 (Dated 9/3/2021)

15. Regulatory information ... / >>

No component(s) listed.

Clean Water Act – Priority Pollutants: No component(s) listed.

Clean Water Act – Toxic Pollutants: No component(s) listed.

DEA List I Chemicals (Precursor Chemicals): No component(s) listed.

DEA List II Chemicals (Essential Chemicals): No component(s) listed.

EPA List of Lists: 313 Category Code: No component(s) listed.

EPCRA 302 EHS TPQ: No component(s) listed.

EPCRA 304 EHS RQ: No component(s) listed.

CERCLA RQ: 7681-52-9 SODIUM HYPOCHLORITE

EPCRA 313 TRI: No component(s) listed.

RCRA Code: No component(s) listed.

CAA 112 (r) RMP TQ: No component(s) listed.

State Regulations

- Massachussetts: 7681-52-9 SODIUM HYPOCHLORITE
- Minnesota: 7681-52-9 SODIUM HYPOCHLORITE
- New Jersey: 7681-52-9 SODIUM HYPOCHLORITE
- New York: 7681-52-9 SODIUM HYPOCHLORITE
- Pennsylvania: 7681-52-9 SODIUM HYPOCHLORITE

California:

7681-52-9 SODIUM HYPOCHLORITE

Proposition 65:

This product does not contain any substances know to the State of California to cause cancer, reproductive harm or birth defects.

International Regulations

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:



Revision nr.4 Dated 7/25/2022 Printed on 9/20/2023 Page n. 10 / 11 Replaced revision:3 (Dated 9/3/2021)

16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: Regulation (EC) 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REACH: Regulation (EC) 1907/2006
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

GENERAL BIBLIOGRAPHY:

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy
- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Comunication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.



16. Other information ... / >>

- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website
- Pennsylvania, Hazardous Substance List, Chapter 323

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Product classification derives from criteria established by the OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200), unless determined otherwise in Section 11 and 12. The data for evaluation of chemical-physical properties are reported in section 9.

Changes to previous review: The following sections were modified: 01 / 10 / 14.

@EPY 11.1.2 - SDS 1004.14