

P280

Rust Remover Powder

Safety data sheet according to U.S.A. Federal Hazcom 2012

SECTION 1. Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name Lustro Italiano Rust Stain Remover 1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use **Rust Poultice Powder** Professional **Identified Uses** Industrial ADHESIVE SYSTEM/TREATMENT FOR STONE SECTOR 1.3. Details of the supplier of the safety data sheet Name **Tenax Spa** Via I Maggio, 226 Full address (VR) District and Country 37020 Volargne Italy +39 045 6887593 Tel. +39 045 6862456 Fax e-mail address of the competent person responsible for the Safety Data Sheet msds@tenax.it Product distribution by TENAX USA - 7606 Whitehall Executive Center Drive - Unit 400 - Charlotte NC 28273 Tel. +1 704-583-1173 - Tel: (800) 341 0432 - Fax +1 704-583-3166 info@tenaxusa.com 1.4. Emergency telephone number For urgent inquiries refer to 1-800-5355053 (1-352-323-3500 international) SECTION 2. Hazards identification. 2.1. Classification of the substance or mixture. The product is classified as hazardous pursuant to the provisions set forth in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). The product thus requires a safety datasheet. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet. Classification and Hazard Statement. Self-heating substance or mixture, category 1 Self-heating: may catch fire. Acute toxicity, category 4 Harmful if swallowed Serious eye damage, category 1 Causes serious eye damage. Hazard pictograms: Signal words: Danger Hazard statements: H251 Self-heating: may catch fire. H302 Harmful if swallowed. H318 Causes serious eye damage Precautionary statements: Prevention: P235+P410 Keep cool. Protect from sunlight. P264 Wash . . . thoroughly after handling. P270 Do no eat, drink or smoke when using this product.

Wear protective gloves / eye protection / face protection.



Rust Remover Powder

Revision nr.2 Dated 5/25/2017 Printed on 5/25/2017 Page n. 2 / 9

SECTION 2. Hazards identification.

Response P301+P P305+P P310 P330		IF IN EYES: Rinse	call a POISON CENTER / doctor / / if you feel unwell. cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. POISON CENTER / doctor /		
Storage: P407 P413 P420		Maintain air gap between stacks / pallets. Store bulk masses greater thankg /lbs at temperatures not exceeding°C /°F. Store away from other materials.			
Disposal: P501		Dispose of conten	ts / container according to applicable law.		
2.2. Othe	r hazards.				
	ll hazards. t with acids liberat	es toxic gas.			
SECTION 3. Co	mposition/informa	tion on ingredients.			
3.1. Substances	s.				
Informatio	on not relevant				
3.2. Mixtures.					
Contains:					
Identificatio	on.	Conc. %.	Classification:		
SODIUM BI CAS. SODIUM DI	7681-57-4	50	Acute toxicity, category 4 H302, Serious eye damage, category 1 H318		
CAS.	7775-14-6	50	Self-heating substance or mixture, category 1 H251, Acute toxicity, category 4 H302		
The full w	The full wording of hazard (H) phrases is given in section 16 of the sheet.				

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide and chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water.

Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

If large quantities of the product are involved in a fire, they can make it considerably worse. Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

In the case of fire, use jets of water to cool the containers to prevent the risk of explosions (product decomposition and excess pressure) and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Remove all containers containing the product from the fire, if it is safe to do so.



Revision nr.2 Dated 5/25/2017 Printed on 5/25/2017 Page n. 3 / 9

Rust Remover Powder

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Ensure that there is an adequate earthing system for the equipment and personnel. In order to avoid the risk of fires and explosions, never use compressed air when handling. Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Avoid leakage of the product into the environment. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Keep the product in clearly labelled containers. Keep containers well sealed. Store in a ventilated and dry place, far away from sources of ignition. Avoid violent blows. Avoid overheating. Avoid contact with water.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

USA	NIOSH-REL	NIOSH publication No. 2005-149, 3th printing, 2007.
USA	CAL/OSHA-PEL	California Division of Occupational Safety and Health (Cal-OSHA) Permissible Exposure Limits
		(PELs).
	TLV-ACGIH	ACGIH 2014

SODIUM BISULPHITE

т	hreshold Limit Va	alue.						
	Туре	Country	TWA/8h		STEL/15	min		
		-	mg/m3	ppm	mg/m3	ppm		
	TLV-ACGIH	-	5					
	CAL/OSHA	USA	5					
	NIOSH	USA	5					

Legend:

```
(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.
```

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations.



Revision nr.2 Dated 5/25/2017 Printed on 5/25/2017 Page n. 4 / 9

Rust Remover Powder

Provide an emergency shower with face and eye wash station.

TION 8. Exposure controls/personal protection

If the product may or must come into contact or react with acids, suitable technical and/or organisational measures should be taken to prevent the development of toxic and/or inflammable gases.

HAND PROTECTION

Protect hands with category III work gloves (OSHA 29 CFR 1910.138).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (OSHA 29 CFR 1910.133).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84 and OSHA 29 CFR 1910.134.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

(199.4 °F)

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical	properties.
---	-------------

Appearance	•	powder	
Colour		red rust	
Odour		Not avai	ilable.
Odour threshold.		Not avai	ilable.
pH.		Not avai	ilable.
Melting point / freezing point.		Not avai	ilable.
Initial boiling point.		Not avai	ilable.
Boiling range.		Not avai	ilable.
Flash point.	>	93	°C.
Evaporation rate		Not avai	ilable.
Flammability (solid, gas)		Not avai	ilable.
Lower inflammability limit.		Not avai	ilable.
Upper inflammability limit.		Not avai	ilable.
Lower explosive limit.		Not avai	ilable.
Upper explosive limit.		Not avai	ilable.
Vapour pressure.		Not avai	ilable.
Vapour density		Not avai	ilable.
Relative density.		1.825	Kg/l
Solubility		Not avai	ilable.
Partition coefficient: n-octanol/water		Not avai	ilable.
Auto-ignition temperature.		Not avai	ilable.
Decomposition temperature.		Not avai	ilable.
Viscosity		Not avai	ilable.
Explosive properties		Not avai	ilable.
Oxidising properties		Not avai	ilable.
9.2 Other information			

9.2. Other information. Information not available.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

Information not available.

10.2. Chemical stability.

Information not available.

10.3. Possibility of hazardous reactions.

The product may react violently with water.



Rust Remover Powder

Revision nr.2 Dated 5/25/2017 Printed on 5/25/2017 Page n. 5 / 9

SECTION 10. Stability and reactivity. ... /

10.4. Conditions to avoid.

Avoid overheating. Prevent moisture or water from penetrating inside the containers.

10.5. Incompatible materials. Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

Acute effects: ingestion of this product is harmful. Even small amounts of product may cause serious health problems (stomach pain, nausea, sickness, diarrhoea).

This product may cause serious ocular lesions, cornea opacity, iris lesions, irreversible eye coloration. This product generates toxic harmful gases upon contact with acids.

SODIUM BISULPHITE LD50 (Oral). LD50 (Dermal).

1540 mg/kg Rat > 2000 mg/kg Rat

Carcinogenicity Assessment:

7681-57-4 SODIUM BISULPHITE ACGIH:: A4

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity.

Information not available.

12.2. Persistence and degradability.

SODIUM BISULPHITE	
Solubility in water.	> 10000 mg/l
Biodegradability: Information not available.	

SODIUM DITHIONITE Solubility in water. Biodegradability: Information not available.

> 10000 mg/l

12.3. Bioaccumulative potential. Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment. Information not available.

12.6. Other adverse effects.

Information not available.



Rust Remover Powder

Revision nr.2 Dated 5/25/2017 Printed on 5/25/2017 Page n. 6 / 9

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to dangerous goods transport regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

14.1. UN number.


ADR / RID, IMDG, IATA: 1384

14.2. UN proper shipping name.

ADR / RID:	SODIUM DITHIONITE (SODIUM HYDROSULPHITE)
IMDG:	SODIUM DITHIONITE (SODIUM HYDROSULPHITE)
IATA:	SODIUM DITHIONITE (SODIUM HYDROSULPHITE)

14.3. Transport hazard class(es).

ADR / RID:	Class: 4.2	Label: 4.2
IMDG:	Class: 4.2	Label: 4.2
IATA:	Class: 4.2	Label: 4.2



ADR / RID, IMDG, IATA:

14.5. Environmental hazards.

ADR / RID:	NO
IMDG:	NO
IATA:	NO

14.6. Special precautions for user.

ADR / RID:	HIN - Kemler: 40	Limited Quantities: -	Tunnel restriction code: (D/E)
IMDG: IATA:	Special Provision: - EMS: F-A, S-J Cargo:	Limited Quantities: - Maximum quantity: 50 Kg	Packaging instructions: 470
	Pass.: Special Instructions:	Maximum quantity: 15 Kg -	Packaging instructions: 467

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.

Information not relevant.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

U.S. Federal Regulations.



Lustro Italiano Rust Remover Powder

Revision nr.2 Dated 5/25/2017 Printed on 5/25/2017 Page n. 7 / 9

SECTION 15. Regulatory information.

TSCA:

All components are listed on TSCA Inventory.

Clean Air Act Section 112(b): No component(s) listed.

Clean Air Act Section 602 Class I Substances: No component(s) listed.

Clean Air Act Section 602 Class II Substances: No component(s) listed.

<u>Clean Water Act – Priority Pollutants:</u> No component(s) listed.

Clean Water Act – Toxic Pollutants: No component(s) listed.

DEA List I Chemicals (Precursor Chemicals): No component(s) listed.

DEA List II Chemicals (Essential Chemicals): No component(s) listed.

EPA List of Lists: 313 Category Code: No component(s) listed.

EPCRA 302 EHS TPQ: No component(s) listed.

EPCRA 304 EHS RQ: No component(s) listed.

CERCLA RQ: No component(s) listed.

EPCRA 313 TRI: No component(s) listed.

RCRA Code: No component(s) listed.

CAA 112 (r) RMP TQ: No component(s) listed.

State Regulations.

Massachussetts: 7681-57-4

7681-57-4	SODIUM BISULPHITE
7775-14-6	SODIUM DITHIONITE (Sulfites)

Minnesota:

7681-57-4 SODIUM BISULPHITE

New Jersey:	
7681-57-4	SODIUM BISULPHITE
7775-14-6	SODIUM DITHIONITE (Sulfites)

<u>New York:</u> No component(s) listed.

Pennsylvania: 7681-57-4 7775-14-6	SODIUM BISULPHITE SODIUM DITHIONITE (Sulfites)
California:	

7681-57-4 SODIUM BISULPHITE

Proposition 65:

This product does not contain any substances know to the State of California to cause cancer, reproductive harm or birth defects.



Rust Remover Powder

ECTION 15. Regulatory information.

Revision nr.2 Dated 5/25/2017 Printed on 5/25/2017 Page n. 8 / 9

International Regulations.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention: None.

Candadian WHMIS. Information not available.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4	Acute toxicity, category 4
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
H251	Self-heating: may catch fire.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: EC Regulation 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

GENERAL BIBLIOGRAPHY:

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique (toxicological sheet)



Rust Remover Powder

Revision nr.2 Dated 5/25/2017 Printed on 5/25/2017 Page n. 9 / 9

ECTION 16. Other information.

- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Comunication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website
- Pennsylvania, Hazardous Substance List, Chapter 323

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified: 01 / 03 / 08 / 13 / 14.